IP CCTV-NVR

مدل	تصویر محصول	توضیحات محصول	قیمت (ریال)
IPC -2MP			
DS-2CD1121G0-I(2.8mm)		2 MP Fixed Dome IP Camera 1920 × 1080 Resolution – 2 MP resolution Support Motion Detection (Basic Detection) Supplement Light (IR, up to 30 m) Outdoor & Vandal Resistant (IP67, IK10) Support H.265+/H.265/H.264+/H.264 compression technology Support IVMS 4200, Hik-Connect Plug-in required live view: IE 10, IE 11 Local service: Chrome 57.0+, Firefox 52.0+	**IRR 25,080,000**
DS-2CD1021G0-I(2.8mm)		2 MP Fixed Bullet IP Camera 1920 × 1080 Resolution – 2 MP resolution Support Motion Detection (Basic Detection) Supplement Light (IR, up to 20 m) Outdoor Ready (IP67) Support H.265+/H.265/H.264+/H.264 compression technology Support IVMS 4200, Hik-Connect Plug-in required live view: IE 10, IE 11 Local service: Chrome 57.0+, Firefox 52.0+	**IRR 25,080,000**
DS-2CD1023G0E-I (2.8mm)		2 MP Fixed Bullet Network Camera - High quality imaging with 2 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to DWDR technology - EXIR 2.0: advanced infrared technology with long IR range	**call**
DS-2CD1023G2-LIU (2.8mm)		Smart Hybrid Light 2 MP IP Bullet Camera 1920 X 1080 Resolution – 2 MP resolutionSupport Video Tempering Alarm Support Motion Detection (Human and Vehicle)Supplement Light (IR , White Light) Comes with Built-in microphone for real-time audio securityOutdoor Ready (IP67) Support H.265+/H.265/H.264+/H.264, compression technologySupport IVMS 4200, Hik-Connect Plug-in required live view: IE 10, IE 11Local service: Chrome 57.0+, Firefox 52.0+	**call**
DS-2CD1123G2-LIU (2.8mm)		2 MP Fixed Dome Network Camera High-quality imaging with 1920 × 1080 resolution. Supports human and vehicle detection with advanced Smart Hybrid Light technology. Equipped with a built-in microphone for real-time audio security. Offers on-board storage up to 512 GB via SD card slot (optional). Utilizes efficient H.265+ compression technology. Water and dust resistant (IP67) and vandal resistant (IK08). Adjustable angles: Pan: 0° to 355°, tilt: 0° to 75°, rotate: 0° to 355°. Plug-in required for live view: IE 10, IE 11; Local service: Chrome 57.0+, Firefox 52.0+.	**IRR 38,680,000**
DS-2CD2327G2-L 2.8mm		2 MP ColorVu Fixed Turret Network Camera High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB WDR technology Focusing on human and vehicle classification based on deep learning Built-in microphone for real-time audio security(-U) 24/7 colorful imaging Water and dust resistant (IP67)	**IRR 93,710,000**
DS-2CD1123G0E-I		2MP dome Exir, fixed lens 2.8mm,white color-1/2.8" progressive scan CMOS - 3D DNR (Digital Noise Reduction) - 1920 × 1080@30fps - Up to 30 m IR range - 2.8 mm/4 mm/6 mm fixed lens - PoE (Power over Ethernet) - H.265+, H.265, H.264+, H.264 - IP67, IK10 - Digital WDR (Wide Dynamic Range) - ECO CASE	**call**
DS-2CD2126G2-ISU 2.8mm		2 MP AcuSense Fixed Dome Network Camera High quality imaging with 2 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle classification based on deep learning -SU: Built-in microphone for real-time audio security, Audio and alarm interface available Water and dust resistant (IP67) and vandal resistant (IK10)	**IRR 94,220,000**
DS-2CD2023G2-I		2 MP IR Fixed Bullet Network Camera - 1/2.8" Progressive Scan CMOS - 1920 × 1080@30fps - 2.8/4/6/8 mm fixed lens - Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR - H.265+, H.265, H.265+ - 120dB WDR - 2 Behavior analyses, and face detection - BLC/3D DNR/ROI - IP67-Up to40 m IR range - Built-in micro SD/SDHC/SDXC card slot, up to 256 GB	**IRR 66,600,000**

DS-2CD2027G2-L ColorVu Lite		2 MP IR Fixed Bullet Network Camera - 1/2.8" Progressive Scan CMOS - 1920 × 1080@30fps - 2.8/4/6 mm fixed lens - Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR - H.265, H.265+ - 120dB WDR BLC/3D DNR/ROI - IP67-Up to40 m IR range - Built-in micro SD/SDHC/SDXC card slot, up to 256 GB	**call**
DS-2CD2025FHWD-I		High quality imaging with 2 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology High frame rate video to illustrate smooth movement Water and dust resistant (IP67) Robust structure design with full metal materials.	**IRR 103,070,000**
DS-2CD2123G2-IU		High quality imaging with 2 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Built-in microphone for real-time audio security Focus on human and vehicle targets classification based on deep learning Water and dust resistant (IP67) and vandal resistant (IK10)	**IRR 72,570,000**
DS-2CD2H25FWD-IZS		2 MP Powered-by-DarkFighter Varifocal Turret Network Camera High quality imaging with 2 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP66) and vandal proof (IK10) Motorized varifocal lens for easy installation and monitoring Robust structure design with full metal materials.	**IRR 191,300,000**
IPC -4MP			
DS-2CD2T43G2-4LI2U(2.8mm)		High quality imaging with 4 MP resolution Acusense: Focus on human and vehicle classification based on deep learning Smart Hybrid Light: Integrates IR and White lights, 4 supplemental lighting modes -2U: Built-in arrayed dual-microphone for real-time high quality audio security Clear imaging against strong back light due to 120 dB true WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67) and vandal-resistant (IK10)	**IRR 112,230,000**
DS-2CD1047G2H-LIUF/Sl(2.8mm)		4 MP ColorVu with Smart Hybrid Light Fixed Bullet Network Camera High quality imaging with 4 MP resolution 24/7 colorful imaging Support Person and Vehicle Detection Smart Hybrid Light: advanced technology with long range cover Provide real-time security via built-in two-way audio and strobe light alarm Efficient H.265+ compression technology Support on-board storage up to 512 GB (SD card slot) Water and dust resistant (IP67)	**IRR 96,600,000**
DS-2CD2043G2-LI (2.8mm)		4 MP Acusense Smart Hybrid Light Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Acusense: Focus on human and vehicle classification based on deep learning - Smart Hybrid Light: Integrates IR and White lights, 4 supplemental lighting modes -2U: Built-in arrayed dual-microphone for real-time high quality audio security - Clear imaging against strong back light due to 120 dB true WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67)	**IRR 105,310,000**
DS-2CD1043G0-I		4.0 MP IR Network Bullet Camera, 1/3" progressive scan CMOS , 3D DNR (Digital Noise Reduction), 2560 × 1440@20fps - Up to 30 m IR range, 2.8 mm/4 mm/6 mm fixed lens - PoE (Power over Ethernet), H.265+, H.265, H.264+, H.264 , IP67, Dual stream, Digital WDR (Wide Dynamic Range)	**IRR 64,260,000**
DS-2CD1043G2-LIU		4 MP Smart Hybrid Light Fixed Bullet Network Camera High quality imaging with 4 MP resolution Support Human and Vehicle Detection Smart Hybrid Light: advanced technology with long range Built-in microphone for real-time audio security, Water and dust resistant (IP67) Efficient H.265+ compression technology Support on-board storage up to 512 GB (SD card slot) (Optional)	**IRR 58,540,000**

DS-2CD1143G0E-I 2.8MM		4 MP Fixed Dome Network Camera High-quality imaging with 4 MP resolution, providing clear and detailed visuals. Efficient H.265+ compression technology ensures reduced bandwidth and storage requirements. 120 dB Wide Dynamic Range (WDR) enhances imaging in challenging lighting conditions, offering clear views even with strong backlighting. Robust construction with IP67 water and dust resistance and IK10 vandal resistance, making it suitable for various environments. Equipped with EXIR 2.0 technology for improved infrared performance, allowing for effective monitoring up to 30 meters in low light conditions. Features such as motion detection, video tampering alarm, and a day/night switch enhance security capabilities. Compatible with multiple streaming protocols and supports various network features for versatile integration into existing systems.	**call**
DS-2CD2347G2-L(2.8mm)		High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging against strong backlight due to 130 dB WDR technology Built-in microphone for real-time audio security(-U) Focus on human and vehicle targets classification based on deep learning 24/7 colorful imaging Water and dust resistant (IP67)	**IRR 134,070,000**
DS-2CD1143G0-I		4.0 MP IR Network Dome Camera, 1/3" progressive scan CMOS - 3D DNR (Digital Noise Reduction), 2560 × 1440@20fps - Up to 30 m IR range, 2.8 mm/4 mm/6 mm fixed lens ,PoE (Power over Ethernet), H.265+, H.265, H.264+, H.264 - IP67, IK10, Dual stream, Digital WDR (Wide Dynamic Range)	**IRR 69,720,000**
DS-2CD1143G2-LIU		4 MP Smart Hybrid Light Fixed Dome Network Camera High quality imaging with 4 MP resolution Support Human and Vehicle Detection Smart Hybrid Light: advanced technology with long range Built-in microphone for real-time audio security Efficient H.265+ compression technology Support on-board storage up to 512 GB (SD card slot) (Optional) Water and dust resistant (IP67) and vandal resistant (IK08)	**IRR 57,590,000**
DS-2CD2046G2-I		4 MP AcuSense Fixed Mini Bullet Network Camera High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Clear imaging against strong backlight due to 120 dB true WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time auto security(-U) Water and dust resistant (IP67)	**IRR 113,120,000**
DS-2CD2047G2H-LIU (2.8MM)		4 MP Smart Hybrid Light with ColorVu Fixed Bullet Network Camera High-quality imaging with 4 MP resolution Smart Hybrid Light technology provides color imaging in low-light conditions Clear imaging against strong backlight due to 130 dB WDR technology Efficient H.265+ compression technology reduces bandwidth and storage usage Focus on human and vehicle classification based on deep learning algorithms Equipped with an active strobe light and audio alarm for deterrence Provides real-time security with built-in two-way audio Supports on-board storage up to 512 GB via an SD card slot Water and dust resistant (IP67), ensuring durability in various environments	**call**
DS-2CD1743G0-IZ		4.0 MP VF Network Dome Camera-1/3" progressive scan CMOS - 3D DNR (Digital Noise Reduction) 2560 × 1440@20fps Up to 30 m IR range- 2.8 mm to 12 mm manual/motorized (with - PoE (Power over Ethernet)- IP67 H.265+, H.265, H.264+, H.264- Dual stream- 120 dB WDR (Wide Dynamic Range) - Z:Motorized VF lens	**call**
DS-2CD2143G2-LIS2U		4 MP AcuSense Smart Hybrid Light Fixed Dome Network Camera High quality imaging with 4 MP resolution AcuSense technology for human and vehicle classification based on deep learning Smart Hybrid Light combines IR and white lights with four supplemental lighting modes Built-in dual microphones for high-quality audio security 120 dB true WDR technology for clear imaging in backlit conditions Efficient H.265+ compression technology Water and dust resistant (IP67) and vandal resistant (IK10)	**IRR 109,640,000**
DS-2CD2T45FWD-I8		4 MP Powered-by-DarkFighter Fixed Bullet Network Camera High quality imaging with 4 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67)	**call**

DS-2CD2143G2-IU		4 MP Vandal Built-in Mic Fixed Dome Network Camera High quality imaging with 4 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology,Efficient H.265+ compression technology,Built-in microphone for real-time audio security Water and dust resistant (IP67) and vandal resistant (IK10) Focus on human and vehicle targets classification based on deep learning	**call**
DS-2CD1643G0-IZ (2.8-12mm)		4 MP Varifocal Bullet Network Camera - High quality imaging with 4 MP resolution - Efficient H.265+ compression technology - Clear imaging even with strong back lighting due to 120 dB WDR - Up to 256 GB SD card slot for storage - 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring - Water and dust resistant (IP67) - EXIR 2.0: advanced infrared technology with long IR range	**call**
DS-2CD1743G2-LIZU (2.8-12mm)		4 MP Dual Light MD 2.0 Varifocal Dome Network Camera - High quality imaging with 4 MP resolution - Support Human and Vehicle Detection - Smart Hybrid Light: advanced technology with long range - Clear imaging against strong back light due to 120 dB true WDR technology - Support on-board storage up to 512 GB (SD card slot) - Efficient H.265+ compression technology - Built-in microphone for real-time audio security - 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring - Water and dust resistant (IP67), vandal proof (IK08)	**IRR 115,540,000**
DS-2CD2643G2-LIZS2U (2.8-12mm)		4 MP Acusense Smart Hybrid Light Motorized Varifocal Bullet Network Camera - High quality imaging with 4 MP resolution - Acusense: Focus on human and vehicle classification based on deep learning - Smart Hybrid Light: Integrates IR and White lights, 4 supplemental lighting modes - Built-in arrayed dual-microphone for real-time high quality audio security - Clear imaging against strong back light due to 120 dB true WDR technology Efficient H.265+ compression technology - Motorized varifocal lens for easy installation and monitoring Water and dust resistant (IP67) and vandal-resistant (IK10)	**IRR 189,630,000**
DS-2CD2643G2-IZS		4 MP AcuSense Motorized Varifocal Bullet Network Camera - High quality imaging with 4 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - Motorized varifocal lens for easy installation - Clear imaging against strong backlight due to 120 dB true WDR technology - Efficient H.265+ compression technology - Audio and alarm interface available - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP66) and vandalresistant (IK10)	**call**
DS-2CD2646G2-IZS		4 MP AcuSense Motorized Varifocal Bullet Network Camera High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Motorized varifocal lens for easy installation Clear imaging against strong backlight due to 120 dB true WDR technology Efficient H.265+ compression technology Audio and alarm interface available Focus on human and vehicle targets classification based on deep learning Water and dust resistant (IP66) and vandal-resistant (IK10)	**IRR 205,410,000**
DS-2CD2043G2-I (2.8mm)		4 MP AcuSense Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong backlight due to 120 dB WDR technology - Focusing on human and vehicle classification based on deep learning - Water and dust resistant (IP67)	**call**
DS-2CD2T43G2-4LI 4MM		4 MP IR Fixed Bullet Network Camera High quality imaging with 4 MP resolution (2688 × 1520 @30fps) 4mm fixed lens - Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR Smart hybrid IR and white light for clear imaging in low light, up to 80m IR range Efficient H.265+ compression technology 120dB WDR for strong backlight handling, BLC/3D DNR/ROI Water and dust resistant (IP67) and vandal resistant (IK10)	**call**
DS-2CD1T43G2-LIU		High quality imaging with 4 MP resolution Support Human and Vehicle Detection Smart Dual-Light: advanced technology with long range Built-in microphone for real-time audio security Water and dust resistant (IP67) Efficient H.265+ compression technology Support on-board storage up to 512 GB (SD card slot) (Optional)	**IRR 71,970,000**
DS-2CD2T43G2-2I (4mm)		1/3" Progressive Scan CMOS,2688 ×1520@30fps,2.8mm fixed lens - Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR, H.265+,Three streams,120dB WDR,Focus on human and vehicle targets classification based on deep learning,BLC/3D DNR/ROI - IP67 - Built-in micro SD/SDHC/SDXC card slot, up to 256 GB-up to 60m IR range	**call**
DS-2CD2T46G2-4I		4 MP AcuSense Fixed Bullet Network Camera High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Clear imaging against strong backlight due to 120 dB true WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning Water and dust resistant (IP67)	**IRR 119,060,000**

DS-2CD2T43G2-4I (4mm)		4 MP AcuSense Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) - Focus on human and vehicle targets classification based on deep learning	**call**
DS-2CD2T47G2-L(2.8mm)		3 MP ColorVu Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong backlight due to 130 dB WDR technology - Focus on human and vehicle targets classification based on deep learning - 24/7 colorful imaging - Water and dust resistant (IP67)	**IRR 139,690,000**
DS-2CD2T47G2-L(4mm)		4 MP ColorVu Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong backlight due to 130 dB WDR technology - Focus on human and vehicle targets classification based on deep learning - 24/7 colorful imaging - Water and dust resistant (IP67)	**IRR 149,050,000**
DS-2CD2743G2-IZS		4 MP AcuSense Motorized Varifocal Dome Network Camera - High quality imaging with 4 MP resolution Motorized varifocal lens for easy installation and monitoring - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal proof (IK10) - Focus on human and vehicle targets classification based on deep learning	**IRR 196,900,000**
DS-2CD3143G2-IU (2.8mm)		4 MP Vandal WDR Fixed Dome Network Camera - High quality imaging with 4 MP resolution Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Focus on human and vehicle classification based on deep learning - Built-in arrayed dual-microphone for real-time high quality audio security - Water and dust resistant (IP67) and vandal-resistant (IK10)	**IRR 107,470,000**
ipc-cube			
DS-2CD2443G0-IW		1/3" Progressive Scan CMOS - 2688 × 1520@30fps - IR: 10 m - PIR: 10m - 120dB WDR -Video Compression: H.265+/H.265/H.264+/H.264/MJPEG - Built-in Micro SD/SDHC/SDXC slot, up to 128 GB - Lens 2.8 mm, horizontal FOV: 98°, vertical FOV: 55° -W: Built-in Wi-Fi with WPS	**IRR 107,090,000**
ipc-5mp			
DS-2CD1357G0-L		5 MP ColorVu Lite Fixed Turret Network Camera,High quality imaging with 5 MP resolution Excellent low-light performance, Efficient H.265+ compression technology,Water and dust resistant (IP67), 24/7 colorful imaging	**IRR 106,560,000**
ipc-6mp			
DS-2CD1163G2-LIU (2.8mm)		6 MP Smart Hybrid Light Fixed Dome Network Camera High quality imaging with 6 MP resolution Support Human and Vehicle Detection Smart Hybrid Light: advanced technology with long range Efficient H.265+ compression technology Built-in microphone for real-time audio security Water and dust resistant (IP67) and vandal resistant (IK08)	**IRR 77,260,000**
DS-2CD1067G2H-LIU (2.8mm)		6 MP ColorVu with Smart Hybrid Light Fixed Bullet Network Camera - High quality imaging with 6 MP resolution - Support Human and Vehicle Detection - Smart Hybrid Light: advanced technology with long range - Efficient H.265+ compression technology - Support on-board storage up to 512 GB (SD card slot) (Optional) - Built-in microphone for real-time audio security - Water and dust resistant (IP67)	**IRR 83,520,000**
DS-2CD2663G2-IZS		6 MP AcuSense Motorized Varifocal Bullet Network Camera - High quality imaging with 6 MP resolution - Motorized varifocal lens for easy installation and monitoring - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal resistant (IK10) - Focus on human and vehicle targets classification based on deep learning	**call**
DS-2CD2063G2-I		6 MP IR Fixed Bullet Network Camera - 1/2.9" Progressive Scan CMOS - 3072 × 2048@20 fps - 2.8/4/6/8 mm fixed lens - Color: 0.01 lux @(F1.2, AGC ON), 0.028 lux @(F2.0, AGC ON), 0 lux with IR - H.265+, H.265, H.264+, H.264 - 2 Behavior analyses and face detection - 120dB WDR - BLC/3D DNR/ROI - IP67 - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB	**call**

DS-2CD2T63G2-4I		6 MP AcuSense Fixed Bullet Network Camera - High quality imaging with 6 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) - Focus on human and vehicle targets classification based on deep learning	**call**
DS-2CD2T67G2H-LI		6 MP Smart Hybrid Light with ColorVu Fixed Bullet Network Camera High quality imaging with 6 MP resolution Smart Hybrid Light: advanced technology with long range Clear imaging against strong back light due to 130 dB WDR technology Efficient H.265+ compression technology Focus on human and vehicle classification based on deep learning Water and dust resistant (IP67)	**call**
DS-2CD3061G2-LIUF (2.8mm)		High quality imaging with 6 MP resolution - Support Human and Vehicle Detection - Smart Hybrid Light: advanced technology with long range - Efficient H.265+ compression technology to save bandwidth and storage - Clear imaging against strong back light due to 120dB WDR technology - 3D DNR technology delivers clean and sharp images - Built-in microphone for real-time audio security - Support on-board storage up to 512 GB (SD card slot) - Water and dust resistant (IP67)	**IRR 75,900,000**
DS-2CD2163G2-IU (2.8mm)		6 MP AcuSense Vandal Fixed Dome Network Camera High quality imaging with 6 MP resolution Clear imaging against strong backlight due to 120 dB true WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time audio security Water and dust resistant (IP67) and vandal-resistant (IK10)	**IRR 110,132,000**
DS-2CD2T63G2-4LI2U(2.8mm)		6 MP Acusense Smart Hybrid Light Fixed Bullet Network Camera High quality imaging with 6 MP resolution Acusense: Focus on human and vehicle classification based on deep learning Smart Hybrid Light: Integrates IR and White lights, 4 supplemental lighting modes -2U: Built-in arrayed dual-microphone for real-time high quality audio security Clear imaging against strong back light due to 120 dB true WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67) and vandal-resistant (IK10)	**IRR 120,670,000**
DS-2CD2163G2-LIS2U 2.8MM		6 MP Fixed Dome Network Camera High quality imaging with 6 MP resolution Excellent low-light performance with ColorVu technology for clear color images, 24/7 Efficient H.265+ compression technology Clear imaging against strong backlight due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time audio security (-SU) Water and dust resistant (IP67) and vandal resistant (IK10)	**IRR 114,660,000**
DS-2CD3161G2-LIUF		6 MP Smart Hybrid Light Motion 2.0 Fixed Mini Dome Network Camera - High quality imaging with 6 MP resolution Support Human and Vehicle Detection - Smart Hybrid Light: advanced technology with long range - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB WDR technology - 3D DNR technology delivers clean and sharp images - Built-in microphone for real-time audio security - Support on-board storage up to 512 GB (SD card slot) - Water and dust resistant (IP67) and vandal proof (IK08)	**IRR 79,540,000**
DS-2CD3661G2-LIZSU (2.7-13.5mm)		: 6 MP Acusense Smart Hybrid Light Motorized Varifocal Bullet Network Camera High quality imaging with 6 MP resolution Acusense: Focus on human and vehicle classification based on deep learning Smart Hybrid Light: Integrates IR and White lights for advanced lighting modes Built-in high-quality microphone for real-time audio security Clear imaging against strong back light due to 120 dB true WDR technology Efficient H.265+ compression technology Motorized varifocal lens for easy installation and monitoring (2.7-13.5mm) Supports on-board storage up to 512 GB (SD card slot) Water and dust resistant (IP67) and vandal-resistant (IK10)	**IRR 153,470,000**
DS-2CD2646G2-IZS (2.8-12mm)		4 MP AcuSense Motorized Varifocal Bullet Network Camera - High quality imaging with 4 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - Motorized varifocal lens for easy installation - Clear imaging against strong backlight due to 120 dB true WDR technology - Efficient H.265+ compression technology - Audio and alarm interface available - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP66) and vandal-resistant (IK10)	**IRR 225,340,000**
DS-2CD3761G2-LIZSU (2.7-13.5mm)		6 MP Smart Hybrid Light Motion 2.0 Motorized Varifocal Dome Network Camera - High quality imaging with 6 MP resolution - Support Human and Vehicle Detection - Smart Hybrid Light: advanced technology with long range - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB WDR technology - 3D DNR technology delivers clean and sharp images - Built-in microphone for real-time audio security - Motorized varifocal lens for easy installation and monitoring - Support on-board storage up to 512 GB (SD card slot) - Water and dust resistant (IP67) and vandal proof (IK10)	**IRR 153,470,000**

ipc-8mp			
DS-2CD2783G2-LIZS2U		8 MP Acusense Smart Hybrid Light Motorized Varifocal Dome Network Camera - High quality imaging with 8 MP resolution - Acusense: Focus on human and vehicle classification based on deep learning - Smart Hybrid Light: Integrates IR and White lights, 3 supplemental lighting modes - Built-in arrayed dual-microphone for real-time high quality audio security - Clear imaging against strong back light due to 120 dB true WDR technology Efficient H.265+ compression technology - Motorized varifocal lens for easy installation and monitoring - Water and dust resistant (IP67) and vandal-resistant (IK10)	**IRR 231,340,000**
DS-2CD2087G2H-LIU (2.8mm)		8 MP Smart Hybrid Light with ColorVu Fixed Mini Bullet Network Camera - High quality imaging with 8 MP resolution - Smart Hybrid Light: advanced technology with long range - Clear imaging against strong back light due to 130 dB WDR technology - Efficient H.265+ compression technology - Focus on human and vehicle classification based on deep learning -U: Built-in microphone for real-time audio security - Water and dust resistant (IP67)	**IRR 156,840,000**
DS-2CD2T86G2-4I		4K AcuSense Fixed Bullet Network Camera - High quality imaging with 8 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light by 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67)	**IRR 189,420,000**
DS-2CD2683G2-IZS (2.8-12mm)		8 MP AcuSense Motorized Varifocal Bullet Network Camera - High quality imaging with 8 MP resolution - Motorized varifocal lens for easy installation and monitoring - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal resistant (IK10) - Focus on human and vehicle targets classification based on deep learning	**call**
DS-2CD2683G2-LIZS2U (2.8-12mm)		8 MP Acusense Smart Hybrid Light Motorized Varifocal Bullet Network Camera - High quality imaging with 8 MP resolution - Acusense: Focus on human and vehicle classification based on deep learning - Smart Hybrid Light: Integrates IR and White lights, 4 supplemental lighting modes - Built-in arrayed dual-microphone for real-time high quality audio security - Clear imaging against strong back light due to 120 dB true WDR technology Efficient H.265+ compression technology - Motorized varifocal lens for easy installation and monitoring - Water and dust resistant (IP67) and vandal-resistant (IK10)	**IRR 231,340,000**
DS-2CD2686G2-IZS (2.8-12mm)		4K AcuSense Varifocal Bullet Network Camera - High quality imaging with 8 MP resolution Motorized varifocal lens for easy installation and monitoring - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning - Audio and alarm interface available - Water and dust resistant (IP66) and vandal proof (IK10)	**IRR 281,450,000**
DS-2CD2687G2HT-LIZS		8 MP Smart Hybrid Light with ColorVu Motorized Varifocal Bullet Network Camera - High quality imaging with 8 MP resolution - Smart Hybrid Light: advanced technology with long range - Clear imaging against strong back light due to 130 dB WDR technology - Efficient H.265+ compression technology - Motorized varifocal lens for easy installation and monitoring - Focus on human and vehicle classification based on deep learning - Water and dust resistant (IP67) and vandal resistant (IK10)	**IRR 280,570,000**
DS-2CD2686G2-IZS		4K AcuSense Varifocal Bullet Network Camera, High quality imaging with 8 MP resolution Motorized varifocal lens for easy installation and monitoring Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Audio and alarm interface available Water and dust resistant (IP66) and vandal proof (IK10)	**IRR 281,450,000**
DS-2CD2783G2-IZS		8 MP(4K) IR Vari-focal Dome Network Camera - 1/2.5" Progressive Scan CMOS - 3840 ×2160@15fps - Max IR distance: 30 meters - 2.8 to 12 mm varifocal lens - Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR - H.265+, H.265, H.264+, H.264 - 120dB WDR - 2 Behavior analyses, and face detectio - BLC/3D DNR/ROI - IP67 - IK10 - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB - Z: Motorized VF lens	**call**
DS-2CD2786G2-IZS		4K AcuSense Varifocal Dome Network Camera, High quality imaging with 8 MP resolution Motorized varifocal lens for easy installation and monitoring Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Audio and alarm interface available, Water and dust resistant (IP66) and vandal proof (IK10)	**call**
DS-2CD2083G2-I		8 MP IR Fixed Bullet Network Camera - 1/2.8" Progressive Scan CMOS - 3840 × 2160 @15 fps - 2.8/4/6/8 mm fixed lens - Color: 0.01 lux @(F1.2, AGC ON), 0.028 lux @(F2.0, AGC ON), 0 lux with IR - H.265+, Up to 40 m IR rsnge - 2 Behavior analyses and face detection - 120dB WDR - BLC/3D DNR/ROI/HLC - IP67 - Built-in micro SD/SDHC/SDXC card slot, up to 256 GB	**IRR 122,320,000**

DS-2CD2085G1-I		4K Powered-by-DarkFighter Fixed Mini Bullet Network Camera High quality imaging with 8 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal material.	**IRR 133,010,000**
DS-2CD2086G2-I		4K AcuSense Fixed Mini Bullet Network Camera High quality imaging with 8 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time audio security(-U) Water and dust resistant (IP67)	**IRR 151,080,000**
DS-2CD2183G2-IU		8 MP IR Fixed Dome Network Camera - BLC/3D DNR/ROI - IP67, IK10 - Built-in micro SD/SDHC/SDXC card slot, up to 256 GB - 1/2.8" Progressive Scan CMOS - 3840 × 2160 @15 fps - 2.8/4 mm fixed lens - Color: 0.01 lux @(F1.2, AGC ON), 0.028 lux @(F2.0, AGC ON), 0 lux with IR - H.265+ - 2 Behavior analyses and face detection -120dB WDR - Built-in microphone, Up to 30 m IR range	**IRR 120,630,000**
DS-2CD2185FWD-I		4K Fixed Dome Network Camera High quality imaging with 8 MP resolution, Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology -S: audio and alarm interface available Water and dust resistant (IP67) and vandal proof (IK10) Robust structure design with full metal materials.	**IRR 137,100,000**
DS-2CD2083G2-LI2U (2.8mm)		8MP Acusense Smart Hybrid Light Fixed Bullet Network Camera High quality imaging with 8 MP resolution Acusense: Focus on human and vehicle classification based on deep learning Smart Hybrid Light: Integrates IR and White lights, 4 supplemental lighting modes -2U: Built-in arrayed dual-microphone for real-time high-quality audio security Clear imaging against strong back light due to 120 dB true WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67)	**IRR 124,610,000**
DS-2CD3T81G2-LIUF		8 MP Smart Hybrid Light Motion 2.0 Fixed Bullet Network Camera - High quality imaging with 8 MP resolution - Support Human and Vehicle Detection - Smart Hybrid Light: advanced technology with long range - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB WDR technology - 3D DNR technology delivers clean and sharp images - Built-in microphone for real-time audio security - Support on-board storage up to 512 GB (SD card slot) - Water and dust resistant (IP67) and vandal proof (IK10)	**IRR 126,350,000**
DS-2CD2183G2-LIS2U (2.8MM)		8 MP Acusense Smart Hybrid Light Fixed Dome Network Camera - High quality imaging with 8 MP resolution - Acusense: Focus on human and vehicle classification based on deep learning - Smart Hybrid Light: Integrates IR and White lights, 4 supplemental lighting modes -2U: Built-in arrayed dual-microphone for real-time high quality audio security - Clear imaging against strong back light due to 120 dB true WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal-resistant (IK10)	**IRR 120,630,000**
DS-2CD3183G2-ISU		8 MP Acusense Fixed Dome Network Camera - High quality imaging with 8 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Focus on human and vehicle classification based on deep learning - Built-in microphone for real-time audio security - Water and dust resistant (IP67) and vandal-resistant (IK10)	**IRR 127,690,000**
DS-2CD1T83G0-I		4K Fixed Bullet Network Camera High quality imaging with 8 MP resolution Clear imaging against strong back light due to 120 dB WDR technology Efficient H.265+ compression technology Water and dustresistant (IP67) Easy installation with Power over Ethernet (PoE) technology -IUF: Built-in microphone for real-time audio security -IUF: Support on-board storage up to 256 GB (SD card slot)	**IRR 109,200,000**
DS-2CD2T83G2-4I (4mm)		8 MP AcuSense Fixed Bullet Network Camera - High quality imaging with 8 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) - Focus on human and vehicle targets classification based on deep learning	**call**
DS-2CD2T83G2-4LI (4mm)		8 MP Acusense Smart Hybrid Light Fixed Bullet Network Camera - High quality imaging with 8 MP resolution - Acusense: Focus on human and vehicle classification based on deep learning - Smart Hybrid Light: Integrates IR and White lights, 4 supplemental lighting modes - Clear imaging against strong back light due to 120 dB true WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67) and vandal-resistant (IK10)	**IRR 148,150,000**

DS-2CD2T87G2-L		4K ColorVu Fixed Bullet Network Camera - High quality imaging with 8 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to 130 dB WDR technology - Focus on human and vehicle classification based on deep learning - 24/7 colorful imaging	**call**
DS-2CD2787G2HT-LIZS		8 MP Smart Hybrid Light with ColorVu Motorized Varifocal Dome Network Camera - High quality imaging with 8 MP resolution - Motorized varifocal lens for easy installation and monitoring - Smart Hybrid Light: advanced technology with long range - Clear imaging against strong backlight due to 130 dB WDR technology Efficient H.265+ compression technology - Motorized varifocal lens for easy installation and monitoring - Water and dust resistant (IP67) and vandal resistant (IK10)	**IRR 289,720,000**
Fisheye			
DS-2CD2955G0-ISU		5MP Fixed Fisheye Network Camera - High quality imaging with 5 MP resolution - Efficient H.265+ compression technology - 180° fisheye view - Clear imaging against strong back light due to 120 dB true WDR technology - Audio and alarm interface available	**call**
speed dome			
DS-2DE4225IW-DE-T5		2MP 25× Network IR Speed Dome - 1/2.8" progressive scan CMOSUp to 1920 × 1080@30fps resolution- Min. illumination: Color: 0.005 Lux @(F1.6, AGC ON) B/W: 0.001 Lux @(F1.6, AGC ON)0 Lux with IR25× optical zoom Focal Length 4.8 mm to 120 mm - 16× digital zoom - WDR, HLC, BLC, 3D DNR, Defog, EIS, Regional Exposure, Regional Focus - Up to 100 m IR distance - 12 VDC & PoE+ (802.3 at, class4) Support H.265+/H.265 video compression - Excellent low-light performance with powered-by-DarkFighter technology	**IRR 314,640,000**
DS-2DE4425IW-DE-T5		4MP 25× Network IR Speed Dome - 1/2.8" progressive scan CMOSUp to 2560 × 1440@30fps resolution- Min. illumination: Color: 0.005 Lux @(F1.6, AGC ON) B/W: 0.001 Lux @(F1.6, AGC ON)0 Lux with IR25× optical zoom Focal Length 4.8 mm to 120 mm - 16× digital zoom - WDR, HLC, BLC, 3D DNR, Defog, EIS, Regional Exposure, Regional Focus - Up to 100 m IR distance - 12 VDC & PoE+ (802.3 at, class4) Support H.265+/H.265 video compression - Excellent low-light performance with powered-by-DarkFighter technology	**IRR 358,710,000**
DS-2SE4C225MWG-E		Captures a large area and great details at the same time High quality imaging with 2 MP resolution Excellent low-light performance with powered-by-DarkFighter technology and ColorVu technology Secures an expansive area with 25× optical zoom and 16× digital zoom Supports WDR, HLC, BLC, 3D DNR, defog, regional exposure, regional focus Expansive night view with up to 100 m IR distance & 30 m white light Supports 12V DC & PoE+ Focuses on human and vehicle targets classification based on deep learning	**IRR 499,470,000**
DS-2SE4C425MWG-E		TandemVu 4-inch 4 MP 25X Colorful & IR Network Speed Dome - Captures a large area and great details at the same time - High quality imaging with 4 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology and ColorVu technology - Secures an expansive area with 25× optical zoom and 16× digital zoom - Supports WDR, HLC, BLC, 3D DNR, defog, regional exposure, regional focus - Expansive night view with up to 100 m IR distance & 30 m white light - Supports 12V DC & PoE+ - Focuses on human and vehicle targets classification based on deep learning	**IRR 552,860,000**
DS-2DE7A232IW-AEB (T5)		7-inch 2 MP 32X Powered by DarkFighter IR Network Speed Dome - 1/2.8" progressive scan CMOS - High quality imaging with 2 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - Audio visual alarm: The white flashing light and audible warning can be triggered by certain events - 32× optical zoom and 16× digital zoom provide close up views over expansive areas - Expansive night view with up to 200 m IR distance - Focuses on human and vehicle targets classification based on deep learning - Face capture: Up to 5 faces captured at the same time	**IRR 582,540,000**
DS-2DE7A432IW-AEB (T5)		7-inch 4 MP 32X Powered by DarkFighter IR Network Speed Dome - 1/1.8" progressive scan CMOS - High quality imaging with 4 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - Audio visual alarm: The white flashing light and audible warning can be triggered by certain events - 32× optical zoom and 16× digital zoom provide close up views over expansive areas - Expansive night view with up to 200 m IR distance - Focuses on human and vehicle targets classification based on deep learning - Face capture: Up to 5 faces captured at the same time	**IRR 643,850,000**

DS-2DE5232W-AE(T5)		2 MP 32X Powered by DarkFighter Network Speed Dome - 1/2.8" Progressive Scan CMOS - High quality imaging with 2 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - 32× optical zoom and 16× digital zoom provide close up views over expansive areas - WDR, HLC, BLC, 3D DNR, defog, regional exposure, regional focus - 24 VAC & PoE (802.3at) - Efficient H.265+/H.265 compression technology - Water and dust resistant (IP66) and vandal resistant (IK10)	**IRR 525,980,000**
DS-2DE5432IWG-E		4 MP 32X Powered by DarkFighter IR Network Smart Tracking Speed Dome - 1/2.8" Progressive Scan CMOS. High quality imaging with 4 MP resolution - Focuses on human and vehicle targets classification based on deep learning - Excellent low-light performance with powered-by-DarkFighter technology - 32 × optical zoom and 16 × digital zoom provide close up views over expansive areas - WDR, HLC, BLC, 3D DNR, defog, regional exposure, regional focus - Expansive night view with up to 150 m IR distance 24 VAC & PoE (802.3at) - Efficient H.265+/H.265 compression technology	**IRR 566,790,000**
nvr			
DS-7604NI-K1		IP video input : 4-ch Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 40 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 1 SATA interface Up to 6TB capacity	**IRR 90,130,000**
DS-7608NI-K1		IP video input : 8-ch Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 80 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 1 SATA interface Up to 6TB capacity	**call**
DS-7608NXI-K1		8-ch 1U K Series AcuSense 4K NVR - Up to 8-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@12 MP or 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity - Up to 80 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security costs	**IRR 98,290,000**
DS-7608NXI-K2		8-ch 1U K Series AcuSense 4K NVR - Up to 8-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@12 MP or 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity - Up to 80 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security costs	**call**
DS-7616NI-Q1		16-ch 1U 4K NVR - Up to 16-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats - Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity - Up to 160 Mbps incoming bandwidth	**IRR 104,350,000**
DS-7616NI-Q2		16-ch 1U 4K NVR - Up to 16-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats - Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity - Up to 160 Mbps incoming bandwidth	**IRR 124,600,000**
DS-7616NXI-K1		16-ch 1U K Series AcuSense 4K NVR - Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats - Up to 1-ch@12 MP or 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity - Up to 160 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security costs	**call**
DS-7616NXI-K2		16-ch 1U K Series AcuSense 4K NVR Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity Up to 160 Mbps incoming bandwidth Adopt Hikvision Acusense technology to minimize manual effort and security costs	**IRR 135,030,000**
DS-7616NXI-K2/16P		16-ch PoE 1U K Series AcuSense 4K NVR - Up to 16-ch IP camera inputs, plug & play with 16 Power-over-Ethernet (PoE) interfaces - H.265+/H.265/H.264+/H.264 video formats - Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity - Up to 160 Mbps incoming bandwidt - Adopt Hikvision Acusense technology to minimize manual effort and security costs	**IRR 294,970,000**

DS-7716NXI-K4		16-ch 1.5U K Series AcuSense 4K NVR - Up to 16-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity - Up to 160 Mbps incoming bandwidth - Adopt Hikvision Acusense technology to minimize manual effort and security costs	**IRR 303,060,000**
DS-7732NXI-K4		Up to 32-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity Up to 256 Mbps incoming bandwidth Adopt Hikvision Acusense technology to minimize manual effort and security costs	**IRR 295,790,000**
DS-7732NI-K4/16P		32-ch 1.5U 16 PoE 4K NVR - Up to 32-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@8 MP/4-ch@4 MP/8-ch@1080p decoding capacity - Plug & play with 16 power-over-Ethernet (PoE) interfaces - Up to 256 Mbps incoming bandwidth	**IRR 450,910,000**
DS-9632NXI-I8/S		32-ch 2U 4K AcuSense NVR H.265+/H.265/H.264+/H.264 video formats Intelligent analytics based on deep learning algorithm Up to 4-ch perimeter protection Up to 1-ch facial recognition for video stream, or up to 4-ch facial recognition for face picture Up to 32-ch IP camera inputs Up to 16-ch 1080p decoding capability Up to 320 Mbps incoming bandwidth	**IRR 973,470,000**
DS-9632NI-M8		32-ch 2U 8K NVR - Up to 32-ch IP camera inputs - Up to 2-ch@32 MP/2-ch@24 MP/4-ch@12 MP/8-ch@8 MP/16-ch@4 MP/32-ch@1080p decoding capacity - Up to 320 Mbps incoming bandwidth and 400 Mbps outgoing bandwidth - 2 HDMI (different source) and 2 VGA (different source) interfaces, 8K or dual 4K video outputs Supports special cameras, including people counting camera, ANPR (automatic number plate recognition) camera, and fisheye camera - Advanced streaming technology enables smooth live view in poor network conditions - Supports RAID 0, 1, 5, 6, 10 and N+M hot spare for even more reliable data storage, effectively avoids data loss risks - Up to 8-ch IP speakers can be connected	**IRR 1,058,020,000**
DS-9632NI-M16		32-ch 3U 4K NVR - Up to 32-ch IP camera inputs - Up to 2-ch@32 MP/2-ch@24 MP/4-ch@12 MP/8-ch@8 MP/16-ch@4 MP/32-ch@1080p decoding capacity - Up to 320 Mbps incoming bandwidth and 400 Mbps outgoing bandwidth - 2 HDMI (different source) and 2 VGA (different source) interfaces, 8K or dual 4K video outputs Supports special cameras, including people counting camera, ANPR (automatic number plate recognition) camera, and fisheye camera - Advanced streaming technology enables smooth live view in poor network conditions - Supports RAID 0, 1, 5, 6, 10 and N+M hot spare for even more reliable data storage, effectively avoids data loss risks - Up to 8-ch IP speakers can be connected	**IRR 1,337,370,000**
IDS-9632NXI-I8/4F		• Facial Recognition and Comparison, • Face Picture Library; 16 Libraries,100,000 Pictures • Face Capture Analysis, Classification and Comparison and Alarm, • 4-ch Face Pictures Comparison Alarm, Alarm Linkage Actions: Recording,Audio Warning, Notify Surveillance Center, Send E-mail, • Face Picture Search, False Alarm Filtering • Up to 32 Channel IP Video Input • Incoming Bandwidth 256 Mbps, Outgoing Bandwidth 200 Mbps • Recording Resolution up to 12 MP, • Synchronous 2-ch HDMI, 2-ch VGA and HDMI1 4 K (3840 x 2160) Resolution • H.265+/H.265/H.264+/H.264/MPEG4, Self-Adaptive Video Formatting • HDD Hot Swap with RAID0, RAID1,, RAID5, RAID6, and RAID10 Storage Configurations • 1 eSATA interface • 16 Alarm Inputs, 4 Outputs, • 1 Audio Output	**call**
DS-9664NI-M8		64-ch 2U 4K NVR - Up to 64-ch IP camera inputs - Up to 2-ch@32 MP/2-ch@24 MP/4-ch@12 MP/8-ch@8 MP/16-ch@4 MP/32-ch@1080p decoding capacity - Up to 400 Mbps incoming bandwidth and 400 Mbps outgoing bandwidth - 2 HDMI (different source) and 2 VGA (different source) interfaces, 8K or dual 4K video outputs Supports special cameras, including people counting camera, ANPR (automatic number plate recognition) camera, and fisheye camera - Advanced streaming technology enables smooth live view in poor network conditions - Supports RAID 0, 1, 5, 6, 10 and N+M hot spare for even more reliable data storage, effectively avoids data loss risks - Up to 8-ch IP speakers can be connected	**IRR 1,468,600,000**

DS-9664NI-M16		64-ch 3U 4K NVR - Up to 64-ch IP camera inputs - Up to 2-ch@32 MP/2-ch@24 MP/4-ch@12 MP/8-ch@8 MP/16-ch@4 MP/32-ch@1080p decoding capacity - Up to 400 Mbps incoming bandwidth and 400 Mbps outgoing bandwidth - 2 HDMI (different source) and 2 VGA (different source) interfaces, 8K or dual 4K video outputs Supports special cameras, including people counting camera, ANPR (automatic number plate recognition) camera, and fisheye camera - Advanced streaming technology enables smooth live view in poor network conditions - Supports RAID 0, 1, 5, 6, 10 and N+M hot spare for even more reliable data storage, effectively avoids data loss risks - Up to 8-ch IP speakers can be connected	**call**

برای اطلاع از موجودی و قیمت سایر محصولات با همکاران ما در بخش فروش در ارتباط باشید

021-88529107 - 021-86047721